# Calvin B. Knerr
# Repertory of Hering's Guiding Symptoms

## Extrait du livre

Repertory of Hering's Guiding Symptoms
de Calvin B. Knerr
Éditeur : B. Jain




http://www.editions-narayana.fr/b23

Sur notre librairie en ligne vous trouverez un grand choix de livres d'homéopathie en français, anglais et allemand.

Reproduction des extraits strictement interdite.
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Allemagne
Tel. +33 9 7044 6488
Email info@editions-narayana.fr
http://www.editions-narayana.fr

Editions Narayana

# HEAD

## Apoplexy. Brain. Cerebrospinal. Dandruff. Eruption. Fontanelles. Forehead. Forehead. Hair. Head. Headache. Occiput. Parietal. Scalp. Skull. Sunstroke. Templets. Tumors. Vertex.

**APOPLEXY : ACON.,** ANAC., ARN., ARS., ASTER., **BAR-C., BELL., BRY.,** Cadm-s., CAMPH., COCC., CROT-H., **Form.,** GELS., **GLON.,** HYOS., lod., IP., **LACK.,** LAUR., MERC., Mill.., NUX-M., NUX-V., Oena., **OP.,** PHOS., PLB., **Puls.,** SIN-N., STRAM., Tab., VERAT-V.

- **chest;** with congestion to : CUPR.
- - oppression in : CROT-H.
- **constipation** precedes : ASTER.
- **constitution** hemorrhagic or broken down (inebriates): CROT-H.
- **drinking,** abuse of liquor or coffee : NUX-V.
- **in drunkards** : CROT-H., LACK., NUX-V., OP.
- after **eating,** a hearty dinner : NUX-V.
- **eyelids** closed, twitch : CUPR.
- **fear** of : Apis, Arg-n., Zinc.
- - on awaking : **Aster.**
- - followed by fever : Aster.
- **in fever,** intermittent : CHININ-S.
- - during sweat: Stram.
- after **grief,** disappointed love : **Phos.**
- **head,** burning, before : ASTER.
- - grasps at: PHOS.
- - sudden attacks of vertigo-like shocks in, before : ASTER.
- - deep-seated stitches in right parietal region and dull, heavy, crampy pain in arms, before : SIL.
- with **headache** : BELL., Cinnm., **GLON.**
- - in terrific shocks : SEP.
- **left-sided,** especially after mental emotions or abuse of alcohol : LACK.
- in **men** addicted to drinking and sexual excesses, with disposition to gout and hemorrhoids : SEP.
- **neonatoram : ARN.**
- **nervous** form : *Ambr.*, ANT-T, **CUPR.,** CUPR-ACT., Dig., Ign., IP., Sin-n.
- - in an old woman weakened by bleeding : **Phos.**
  with convulsions : Cupr.
- - with distortions of face : Cupr.
- - spasmodic hiccough : Caj.
- - with somnolency : HYOS.
- - with palsy of speech : Cupr.
- **in old persons :** APIS, **BAR-C.,** OP.
- **palpitation,** after : CUPR.
- **paralysis,** follows: BAR-C., CAUST, COCC., GELS., **LACK.,** LAUR., PLB., STRAM.
- - with rapid atrophy and loss of sensation of affected part : PLB.
- - general (rarely useful in hemiplegia or paraplegia) : GELS.
- - of legs : NUX-V.
- - of limbs : STRAM.
- - particularly in old people : Con.
- - particularly in right side : Crot-h.
- - with ptyalism : NUX-V.
- **pulse,** compressed, frequent, before : Aster.
- - slow, weak, small, after : CUPR.
- **sanguineous** form : APIS, **ARN., ASTER., CACT.,** Ferr.
- - with vertigo, vomiting, burning in stomach, distension of temporal veins : Sang.
- **serous** form : ANT-T, APIS, Ars., Ars-s-f, BAR-C., BRY., Dig., HELL, IP.
- - with threadlike, very quick pulse : GLON.
- with **stupor :** (See **Coma; Stupor; Unconsciousness** under MIND).
- **subjects,** predisposed to passive cerebral congestion, with somnolence after eating : OP.
- - lymphatic or leuco-phlegmatic, ill nourished (prophylactic) : MERC.
- **threatened :** ASTER., BELL, **COFF.,** FL-AC., Ign., LAUR.
- - with cholera Asiatica : OP.
- - with congestion to head : BELL., Coff., GLON., Stront-c.
- with **unconsciousness :** (See **Unconsciousness** under MIND).
- with **uterine** polypi: CON.



Excerpt from Calvin B. Knerr „ Repertory of Hering's Guiding Symptoms “
Publisher: B. Jain
Excerpted by Narayana Publishers, 79400 Kandern, Tel.: +49 (0) 7626 974 970-0

- **venous : SEP.**
- with **vertigo,** in walking : SEP.
- from **vexation** : ACON.
- **in women** from affections of reproductive system: SEP.
- with **wrist** drop, alternating with colic : **PLB.**

**BRAIN, abscesses,** scattered through substance : Hipp.
- - thinks an abscess is forming, "pain will set her crazy" (catarrh of frontal sinuses) : CUPR.
- - purulent collections between bones of skull and dura mater : Hippoz.
- **aching;** one continued : CHININ-S.
- - at base of, with swelling of cords of neck : Med.
- - dull, heavy, at base of : Merc-i-f.
- - near eyes : Aspar.
- - in exostosis : ARG-MET.
- - stupefying : Stann.
- **active** : (See **Mental activity** under MIND).
- **affections : BRY.,** CIMIC., CROC., CUPR., GELS., GLON., HELL., Kali-br., NUX-V., **Ziz.**
- - with aphasia : STRAM.
- - of children : **APIS,** BELL., **CALC.,** CALC-P, KALI-C., HELL, **SULPH.**
- - child rubs face and eyes, especially eyes, as if to relieve itching : Squil.
- - in children with catarrhal fever, difficult dentition, or exanthematic diseases, cannot hold head up : CUPR.
- - in cholera infantum : OP.
- - with unconsciousness and convulsive symptoms : MAG-P.
- - cause chorea : STRAM.
- - after suppressed eruptions : Cic., SULPH.
- - in diarrhoea and dysentery : ARN.
- - diarrhoea, stools smell like carrion : **Kali-p.**
- - of drunkards : MERC., NUX-V., OP.
- - exacerbations, evenings : Cupr.
- - exanthemata suppressed by cold : PH-AC.
- - during or after vesicular erysipelas : STRAM.
- - with distortion of eyes (scarlatina) : SULPH.
- - with iritis : ARG-N.
- - in relapsing fever : Ust.
- - with glycosuria : PHOS.
- - from continued grief : PH-AC.
- - incipient, when child is sleepless, laughs and plays at night: **Cypr.**
- - from intestinal irritation : Cina.
- - with jaundice : PHOS.
- - from overexertion : PH-AC.
- - nervous : **Nux-m.**
- - with pneumonia : HYOS.
- - in scarlatina : APIS, LACK., SULPH., ZINC.
- - from sexual excesses or drain on system : PH-AC.
- - in smallpox : BELL.
- - cause strabismus : STRAM., TAB.
- - with summer complaint : CUPR-ACT.
- - after typhoid : PH-AC.
- - with profuse or scanty urine : Squil.
- - from want of vigor : Kali-p.
- - with vomiting : VERAT-V.
- - from getting wet : BRY.
- **as** if **agitated** by boiling water : **ACON.**
- symptoms appeared and ceased coincidently with the appearance and cessation of albuminuria : Plb.
- **anaemia** of (See **atrophy; exhaustion; paralysis; sclerosis; softening) : CON.,** Dig., **Kali-p.**
- - brain fag : ZINC.
- - from loss of fluids : **Kali-br.**
- - causes insomnia : MAG-P.
- **atrophy;** acute, with uraemia : PHOS.
- tendency to, in old age : PHOS.
- **arachnoid,** air bubbles below : *Ars-h.*
- - adherent to pia mater : Crot-h.
- - a little injected : *Ars-h.*
- - inflamed : APIS.
- - opaque : *Ant-t.*
- - opaque, thickened, tough : Crot-h.
- - pains like steel arrows, piercing from forehead to nape of neck: Anan.
- **as** if **asleep :** (See **numbness).**
- **atrophy** (See **anaemia; exhaustion; paralysis; sclerosis; softening)** : Fl-ac., lod.
- - acute, with uremia : PHOS.
- - preceded by overexcitement, causing paralysis : **PHOS.**
- - tendency to in old age : **Phos.**
- sensation as if **balancing** to and **fro : Aphis.**
- - striking against skull, painful : Chin.
- sensation as if a small, leaden ball were rolling about: Lyss.
- as if laid **bare,** and cold air passed over it: Anan.
- **beating,** deep in right side (See **congestion; throbbing) :** Sars.
- - worse rising in bed, motion, better by cold washing, walking in open air : ARS.
--- in waves against skull: **CHIN.**
- - as if beating against skull, painful on nodding head : SULPH.



Excerpt from Calvin B. Knerr „ Repertory of Hering's Guiding Symptoms “
Publisher: B. Jain
Excerpted by Narayana Publishers, 79400 Kandern, Tel.: +49 (0) 7626 974 970-0

## Head

-- on slightest movement: Tell.
- **as** if **boiling** over and lifting cranium like lid of tea-kettle : Cann-i.
- **boring,** deep in (See **nail)** : Ant-t., IGN.
-- as if being bored out (sick headache) : TAB.
- feels **bound** up (See **constricted)** : Aeth.
- **bruised,** feeling (See **crushed; dashed):** ARN., CUPR., **GELS.,** NUX-V.
-- as if beaten : NUX-V.
--- worse on moving, even opening eyes : **CHIN.**
-- generally one-sided (right), better lying on painless side: NUX-V.
-- when stepping from a high step to ground : PHYT.
-- in vertex, better cold air : Ind.
- **burning** (See **congestion; heat; meningitis) :** Canth., PHOS., Verat.
-- with chills : GLON.
-- over eyebrows in evening : Carb-ac.
-- worse from light: GLON.
-- night and morning, worse motion, better rest: Am.
-- with vertigo in morning : GLON.
- **bursting** feeling (See **distended; pressing) :** Ars-met.
-- especially at temple, begins on rising in morning, generally better lying down : LACH.
- **buzzing :** FERR.
-- feeling as if it were falling forward : Guare.
- **cerebellum,** aching with subjective tenderness of spine to kidneys : Med.
-- as of blows (headache) : Cur.
boring from within : SPIG.
-- burning glow : Med.
-- chilliness, every evening : DULC.
-- cold : *Camph.*
-- with stiffness in brain : PHOS.
-- congestion, in chorea : CHEL.
-- cortex reduced to a soft pulpy mass, dark brown, loaded with shining greasy particles : *Pic-ac.*
-- heavy, crushing cutting across base : Syph.
-- dull pain : MED., Sal-ac.
-- as if enlarged, worse, cold damp weather, until 2 P.M., better lying down : DULC.
-- exhausted feeling, with subjective tenderness of spine, from cerebellum to kidneys : Med.
-- dulness and beating : Bry.
-- headache begins in morning, spreads over left side of head, causing violent and pulsating pain in left temple and over left eye, periodical : Spig.
- - heaviness in forenoon, in cold air, better after dinner : CARB-AN.
- - irritation from sexual over-excitement: **Pic-ac.**
- - painful jerks through left, leaving dull pressure, worse during rest, better from motion : STANN.
- - stitches in right lower : **Iris.**
- - pain : BENZ-AC., SPIG.
- - with congestion to head (pertussis) : ANAC.
- - pain in right side : Elaps.
- - pain with vertigo : Tarent.
- - pressing : Petr.
- - pressing pain in small spots, occurring on slightest mental exertion, or from nightwatching : COLCH.
- - stinging : Petr.
- - strange feeling in right side : Meph.
- - throbbing, beginning morning, lasts till noon or evening, worse from motion, turning eyes, lying on back, better lying on side, closing eyes, at rest and dark room : SEP.
- - throbbing, better standing, most with such as were deprived of sexual intercourse: **CAMPH.**
- - unpleasant sensation, extends from occipital protuberance to left ear, seems as if it were hollow, yet there is a dull ache, a feeling as if brain were not large enough to fill space, worse when he hurts testicle : **Staph.**
- **chills,** creeping along convolutions, with prickling : Abrot.
- - shuddering passes down spine, with headache : Tub.
- **cloudiness** (cholera) : LAUR.
- - **cold** sensation at middle of forehead : Bell.
- **collapse,** impending : PHOS.
- **compressed** feeling (See **constrictive; pressing) :** CHAM., IGN., HYPER.
- - when conscious of pain it disappeared : Camph.
- - with hammering in forehead : KALI-I.
- **compression : ARN.**
- - no fracture (fungus) : Calen.
- **concussion : ARN.,** Calen., CIC., HELL., HYOS., KALI-P., TEUCR.
- - worse from 3 to 6 P.M. (after Arn. failed) : HELL.
- - function of cells depressed : **Kali-p.**
- - inflammation after a fall: **Zinc.**
- - deafness : Chinin-s.
- - pupils dilated : Cic.
- - painful, from shaking head, from walking : Cocc.
- - with aching in head and in epigastrium : Mang-c.
- - at each step : RHUS-T.
- - a misstep causes sensation of : LED.
- **confused** (See **dull; stupid) : Kali-br.**



Excerpt from Calvin B. Knerr „ Repertory of Hering's Guiding Symptoms “
Publisher: B. Jain
Excerpted by Narayana Publishers, 79400 Kandern, Tel.: +49 (0) 7626 974 970-0

## Head

- **congestion (beating; fullness; heat; hyperaemia; meningitis; throbbing) :** Absin., Amyg., **Ant-t,** ARG-N., ART-V., **BELL., CACT.,** Chlol., Cic., FERR-R, GELS., **Hell.,** Hydr-ac., KALI-C., KALI-BR., PAR., PULS., Stram., SULPH., Ust.
-- from alcoholic stimulants : VERAT-V.
-- in angina pectoris : CIMIC.
-- precursor of apoplexy : ASTER.
-- intense throbbing of arteries : VERAT-V.
-- resulting in paralysis of brain (typhoid) : OP.
-- with buzzing, roaring, etc. : VERAT-V.
-- preceded by chill: GELS.
-- with constipation : ASTER.
-- with convulsions : BELL., GLON.
-- after attack resembling epilepsy in children : IGN.
-- intense, with sudden spasms : VERAT-V.
-- convulsions, particularly in children (irritative fever): VERAT-V.
-- in puerperal convulsions : VERAT.
-- in diphtheria : **Tarent.**
-- intense, from suppressed discharges : VERAT-V.
-- in delirium tremens : **Chlol.**
-- epileptiform attacks : **Phys.**
-- causes or attends epilepsy with vascular fulness of retina : KALI-BR.
-- with excitement: Eucal.
-- at base of brain, with dim or double vision : VERAT-V.
-- in fevers from unusual exertion or exposure to sun : BELL, GLON., GELS.
-- congested feeling in front, worse from exerting intellect : Crot-h.
-- intense, with giddiness : BELL., VERAT-V.
-- causing headache : Am-br., BELL, GLON., **VERAT-V.**
-- caused by periodical involuntary laughing fits : **Zinc.**
-- with convulsive movements at limbs and muscles of face **: CUPR.**
-- with convulsive movements of limbs (meningitis, cerebrospinal) : CUPR-ACT.
-- with mania : KALI-BR.
-- causing hysterical mania (congestion of womb and metrorrhagia) : Croc.
-- violent, with puerperal mania and convulsions : VERAT.
-- with suppressed menses : **VERAT-V.**
-- in plethoric constitutions : **GLON.**
- - with mental excitement: Chlol.
- - in migraine : KALI-BR.
- - intense, with nausea : VERAT-V.
- - from suppression of long-standing nasal discharge : KALI-I.
- - relieved by nosebleed : PSOR.
- - following nervous depression : **Chlol.**
- - resulting in paralysis of brain (typhoid) : OP.
- - passive, with somnolence after eating, predisposed to apoplexy : OP.
- - intense, from plethora : VERAT-V.
- - in pneumonia : KALI-I.
- - symptoms of, disguise pulmonary inflammation : OP.
- - first stage of scarlatina : VERAT-V.
- - causes sleeplessness : BELL., KALI-BR.
- - with increased sensitiveness to sounds : VERAT-V.
- - with stupefaction : VERAT-V.
- - sudden : Hydr-ac.
- - causes coma, fear of death, insanity, puerperal convulsions, quarrelsome delirium, stupor : Verat-v.
- - from exposure to sun's rays : BELL., Cact., GLON., VERAT-V.
- - comes when sweat fails (intermittent) : CACT.
- - intense, caused by teething : VERAT-V.
- - tendency to in otitis : **SULPH.**
- - intense, from vascular irritation : VERAT-V.
- - with vertigo : Anan.
- - intense, with vomiting : VERAT-V.
- - with zymotic or septic diseases : Crot-h.
- alteration in **connective** tissue causes paralysis or spasms : SIL.
- **constructive** sensation (See **bound; compressed; contracted; pressing;** tense) **:** CHAM.
- - with feeling of anaesthesia : KALI-BR.
- - as if by a ligature : Cocc.
- **as** if **contracted :** Grat.
- - pain at base : Camph.
- - cerebellum as if laced together, with coldness : **CAMPH.**
- - followed by numbness of head and externally on vertex, worse in evening and while sitting, better from motion and in open air : PLAT.
- - painful : LAUR.
- **contusive** pain : (See **bruised).**
- **cracking** sensation, must hold head during motion to prevent threatened rupture of cranium : GLON.
- **crampy** feeling, while walking : Calad.
- **crawling :** Apis.
- **crazy** feeling, hard to describe : Vario.
- pain at base of, as if **crushed** in a vise, or something gnawing there : Nat-s.



Excerpt from Calvin B. Knerr „ Repertory of Hering's Guiding Symptoms “
Publisher: B. Jain
Excerpted by Narayana Publishers, 79400 Kandern, Tel.: +49 (0) 7626 974 970-0




Calvin B. Knerr

Repertory of Hering's Guiding Symptoms
of our Materia Medica

2064 pages, relié
publication 2010

acheter maintenant

Plus de livres sur homéopathie, les médecines naturelles et un style de vie plus sain
www.editions-narayana.fr