

Francis Hunter


Everyday Homeopathy for Animals

Texte d'exemple

[Everyday Homeopathy for Animals](#)

depuis [Francis Hunter](#)

éditeur: Beaconsfield



Dans la [boutique en ligne Narayana](#), vous trouverez tous les livres en allemand et en anglais sur l'homéopathie, la médecine alternative et un mode de vie sain.

Copyright :

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tél. +49 7626 9749 700

Courriel info@narayana-verlag.de

<https://www.narayana-verlag.de>

Narayana Verlag est une maison d'édition spécialisée dans les ouvrages d'homéopathie, de médecines alternatives et de bien-être. Nous publions des livres d'auteurs de renom et novateurs tels que Rosina Sonnenschmidt, Rajan Sankaran, George Vithoulkas, Douglas M. Borland, Jan Scholten, Frans Kusse, Massimo Mangialavori, Kate Birch, Vaikunthanath Das Kaviraj, Sandra Perko, Ulrich Welte, Patricia Le Roux, Samuel Hahnemann, Mohinder Singh Jus et Dinesh Chauhan.

Les éditions Narayana Verlag organisent des séminaires d'homéopathie. Des conférenciers de renommée mondiale tels que Rosina Sonnenschmidt, Massimo Mangialavori, Jan Scholten, Rajan Sankaran et Louis Klein inspirent jusqu'à 300 participants.

Preface

I have had three main reasons for writing this book. The first is that a book I published some years ago, entitled *Before the Vet Calls*, is now out of print. (It was renamed in later editions *Homeopathic First Aid Treatment for Pets* for the American market, because the word 'vet' there refers to a veteran of their armed forces.) It was relatively short and written to satisfy a perceived demand for a basic introduction to homeopathy for the care of pet animals.

It now seems appropriate to produce this more comprehensive work to meet the needs of the increasing number of people who are interested in complementary therapies, and who are also much more widely informed on the potentially beneficial role of homeopathic medicine both for themselves and their animals.

The first major section covers the general problems that are common to all species, beginning with an initial section in flowchart form on accidents and emergencies. The greater scope of this new book has allowed me to provide information outlining the principal diseases and conditions specific to the different animals that are included. These sections are quite concise and indicate the various options available to treat the given condition, including references back to the general part of the text wherever relevant.

My second reason is to point out to the owner of an animal not only the benefits but also the limitations of homeopathic treatment, or for that matter of any other form of complementary treatment. It is a great mistake to embark on the treatment of an animal without sufficient knowledge of the intricate make-up of the animal as a patient, and without the training and expertise to be able to instigate the correct treatment. The average person would not even contemplate the idea of inserting acupuncture needles into an animal, and the argument holds equally well against giving a homeopathic remedy without the experience to do so. I have attempted to point out to the reader when it is appropriate to treat an animal oneself and when it is necessary to seek veterinary advice.

The third reason is that I have greatly admired the book *Everyday Homeopathy* by the late Dr David Gemmell. In addition to being an experienced and sympathetic general practitioner, Dr Gemmell was also the medical registrar at the Royal London Homeopathic Hospital for a number of years. He was a first-class

Preface

teacher, and I had the pleasure of being one of his students when I was studying homeopathy at the Faculty of Homeopathy in the early eighties. In his book, which he wrote for use within the family and among friends, he had the novel idea of describing a disease or condition on the left-hand page, and then on the facing right-hand page matching the different symptoms with the most appropriate remedy. This makes it simple and straightforward for the reader to be directed to the remedy most likely to be helpful, and I am very grateful to Mrs Irma Gemmell for permitting me to adopt this layout as fully as possible in the present book.

Contents

Preface vi
Introduction 1

ACCIDENTS, EMERGENCIES AND FIRST AID	9
Animal bites 9	Heatstroke 24
Bleeding 10	Insect bites and stings 26
Broken bones 12	Shock 28
Bruises, haematomas 14	Sprains and strains 30
Burns and scalds 16	Wounds
Collapse 18	– Abrasions, scrapes and grazes 32
Concussion 19	– Cuts and lacerations 34
Eye injuries 20	– Infected 36
Head injuries 22	– Punctured 38
GENERAL CONDITIONS	41
Abscesses 42	Diarrhoea 70
Allergies 44	Dysentery 70
Anaemia 46	Ear conditions 72
Anxiety 46	Enteritis 75
Appetite 48	Eye conditions 77
Arthritis 50	Fear, fright, apprehension, panic 80
Bad breath 52	Fever 82
Bronchitis 54	Fits, hysteria, epilepsy, convulsions
Catarrh 56	84
Chills and colds 58	Flatulence 85
Colic 60	Fleas 85
Colitis 62	Flu 88
Constipation 64	Gastritis 90
Coughs 66	Gum inflammation 90
Cystitis 68	Heart conditions 92
Dandruff 68	Hepatitis 94
Dermatitis 70	Incontinence 95

Contents

Indigestion	97	Septicaemia	136
Inflammation	98	Sinusitis	138
Jaundice	100	Skin conditions	140
Kidney disease	102	Snakebite	146
Lameness	104	Sneezing	146
Leptospirosis	105	Stroke	148
Lice	106	Teeth	148
Mange	108	Thirst	150
Mastitis	110	Ticks	150
Mouth	112	Tongue	151
Nails	114	Tonsillitis	152
Nettle rash	114	Toxaemia	152
Nose	116	Travel sickness	154
Operations	118	Tuberculosis	155
Pain	120	Tumours	156
Paralysis	122	Urinary problems	156
Pleurisy	124	Vaccination	158
Pneumonia	126	Viruses	159
Restlessness, sleeplessness	128	Vomiting	160
Rheumatism	130	Warts	162
Ringworm	132	Worms	163
Salmonellosis	134	Yawning	165
Senility	136		

REPRODUCTION

166

The Reproductive Cycle

Failure to come into heat 167

Remedies to help maintain
pregnancy 167

Reproductive Disorders

Infertility 168

THE FEMALE

PRE-PARTURITION

Abortion, miscarriage, premature
birth 168

Haemorrhage 169

Ringwomb 169

Vaginal prolapse 169

PARTURITION

Giving birth 170

POST-PARTURITION

Retained placenta 170

Mastitis 170

Metritis, Endometritis 172

Pyometra 172

Uterine prolapse 174

Difficulty passing urine 174

Urinary incontinence 174

Shortage of milk 174

Shortage of milk 174

Too much milk 176

Eclampsia (lactation tetany)

176

False, pseudo or phantom
pregnancy 176

Contents

THE MALE	<i>The Newborn Animal</i>
Diminished libido 177	Reviving the newborn animal 177
 HORSES, PONIES AND DONKEYS	
Bony changes and enlargements 178	Hooves 194
Catarrh and sinusitis 180	Joint disease and conditions 196
Colic 181	Laminitis 198
Constipation 182	Liver conditions 200
Coughs and colds 184	Monday morning leg 202
COPD 185	Nosebleed 204
Cramp 186	Rheumatism 206
Dermatitis, greasy heel and mud fever 188	Sarcoids and warts 208
Diarrhoea and enteritis 189	Skin conditions 210
Equine influenza 192	Tendons and ligaments 214
	Tetanus 216
 CATTLE	
	218
Abortion 219	Milk fever 236
Abscesses and haematomas 221	Navel-ill (joint-ill) 238
Acetonaemia, ketosis 222	New Forest eye disease 240
Bloat 224	Photosensitisation 242
Blood in the milk 226	Respiratory problems 243
Calving 226	Retained afterbirth 244
Digital dermatitis 227	Reviving the calf or adult 245
Foul-in-the-foot ('Low', 'Luer') 228	Ringworm 246
Lameness 228	Scours, diarrhoea, enteritis 247
Leptospirosis 230	Staggers 249
Mastitis 231	Teat injuries and sores 250
Metritis, endometritis 234	Warts, papillomatosis 251
 SHEEP	
	252
Abortion 253	Milk promotion and suppression 260
Bloat 255	Mineral disturbances 261
Coccidiosis 256	Navel-ill 261
Colibacillosis 256	Orf (contagious pustular dermatitis) 262
Foot-rot 258	Parasites (worm infestations) 264

Contents

Pneumonia	266	Ringwomb	270
Pregnancy toxæmia	268	Vaginal prolapse	272
Retained placenta (retained afterbirth)	270		
GOATS		273	
Abortion	274	Kidding	278
Bloat	274	Lameness	279
Cloudburst (pseudopregnancy)	275	Orf (contagious pustular dermatitis)	279
Coccidiosis	275	Pregnancy toxæmia	279
Colibacillosis	275	Retained afterbirth	279
Digestive disorders	276	Reviving the weakly kid or adult	279
Enteritis, diarrhoea, scours	278	Urinary disorders	280
Heatstroke	278		
Infertility	278		
PIGS		281	
Abscesses (boils)	281	Gastritis	290
Anaemia	282	Lameness	290
Blue eared disease	282	Leptospirosis	291
Bowel oedema	284	Mastitis	291
Constipation	285	Metritis and retained placenta	291
Enteritis (diarrhoea, scours, scouring)	286	Respiratory infections	292
Erysipelas (swine erysipelas)	288	Skin disorders	296
Farrowing	289	Urinary tract disorders	300
		Worms, parasites	302
DOGS		303	
Addison's disease	304	Eclampsia (lactation tetany)	
Anal glands	305	310	
Ascites (dropsy)	306	Fading puppies	312
Campylobacteriosis	306	False pregnancy	314
Chronic degenerative radi- culomyopathy (CDRM)	306	Grass seeds	316
Cushing's syndrome	307	Hepatitis	318
Diabetes	308	Hip dysplasia	319
Distemper (canine distemper, hard pad)	309	Kennel cough	320
		Leptospirosis	321
		Osteochondrosis	323

Contents

Osteomyelitis	324	Prostate problems	329
Pancreatic insufficiency	324	Salivary cyst	330
Parvovirus	326	Salmonellosis	330
Pining and grief	328	Thyroid problems	332
CATS		333	
Abscesses	334	Feline leukaemia	346
Alopecia (hair loss)	335	Fur balls (hairballs)	347
Cat flu	336	Key Gaskell syndrome	348
Cystitis	337	Kidney disease	349
Fading kittens	338	Kittening	349
Feline chlamydial infection	338	Miliary eczema	350
Feline immunodeficiency virus (FIV)	340	Spraying	351
Feline infectious enteritis (FIE)	342	Stud tail	352
Feline infectious peritonitis (FIP)	344	Thyroid problems	353
		Urinary calculus	354
BIRDS AND POULTRY		357	
Accidents	358	Diarrhoea	364
Broken bones	358	Feather pecking	364
Bumble foot	358	Gunshot wounds	366
Chest infections	360	Oiled birds	366
Chills, colds, coryza	360	Parasites	368
Coccidiosis	362	Salmonella	368
Concussion	362	Skin conditions	368
Dehydration	364		
CHINCHILLAS		369	
Colic	370	Parasites	371
Fur chewing	370	Pneumonia	371
Fur slip	370	Ringworm	371
Listeriosis	370	Shock	371
FERRETS		372	
Abscesses	372	Enteritis	373
Bite wounds	373	Influenza	373
Canine distemper	373	Parasites	373

Contents

Reproductive disorders	374	Tuberculosis	374
Salmonella infection	374	Tumours	37
FISH		375	
Farmed fish	375	– ‘Fin rot’	376
Ornamental fish	375	– Fungus	376
Quarantine	375	– Lymphocytosis	376
Exterior diseases	376	Internal diseases	377
– White spot (‘ich’)	376	– Septicaemia	377
– Slime disease	376	– ‘Popeye’ or ‘dropsy’	377
– Fluke infestation	376	– Tuberculosis	377
GERBILS		378	
Overgrown teeth	378	– Demadex	379
Respiratory disease	379	– Ringworm	379
– Sore eyes, nose and mouth	379	– ‘Wet tail’	380
– Ear infection	379	Tapeworms	380
Salmonella infection	379	Tumours	380
Skin conditions	379	Tyzzer’s disease	380
GUINEA PIGS		381	
Abscesses/skin wounds	381	Pregnancy toxæmia	383
‘Lumps’ (cervical lymphadenitis)	382	Respiratory disease	383
Conjunctivitis	382	Scurvy	384
Enteritis	382	Skin conditions	384
Mastitis	383	– ‘Chewing’	384
Overgrown teeth	383	– Pododermatitis	384
HAMSTERS		385	
Nervous disorders	385	Skin conditions	387
Overgrown teeth	386	– Demodex	387
Parasites	386	– Scabies	387
Respiratory infections	386	– Ringworm	387
– Common cold and flu viruses	386	– ‘Sleeper disease’	387
– Pasteurellosis	386	Tumours	388
Salmonella infection	387	Tyzzer’s disease	388
		– ‘Wet tail’	388

Contents

HEDGEHOGS	389
Bacterial infections	389
'Fly strike'	390
Nutritional disorders	390
Parasites	390
– External parasites	390
RABBITS	392
Ears	393
Enteritis/diarrhoea	393
Mastitis	393
Myxomatosis	393
Overgrown teeth	394
Parasites	394
RATS AND MICE	396
Abscesses/skin wounds	396
Ears	397
Enteritis/diarrhoea	397
Mastitis	397
Nervous disorders	397
Overgrown teeth	398
TORTOISES AND TERRAPINS (CHELONIANS)	400
Abscesses	400
Avitaminosis A	400
Bacterial infections	400
Beak deformity	401
Blindness and eye conditions	401
Burnt shell	401
Colic	401
Eggbinding	402
Kidney infection	402
PRIMARY MATERIA MEDICA	405
Aconite, Apis mellifica, Argentum nitricum, Arnica, Arsenicum Album,	
Belladonna, Bryonia, Cantharis, Carbo vegetabilis, Causticum, Colocynthis,	
Euphrasia, Gelsemium, Hepar Sulphuris, Hypericum, Lycopodium,	

Contents

Mercurius Solubilis, Natrum Muriaticum, Nux Vomica, Phosphorus,
Pulsatilla, Pyrogen, Rhus Toxicodendron, Ruta, Silica, Sulphur,
Symphytum, Thuja, Urtica Urens

SECONDARY MATERIA MEDICA	432
Actaea racemosa, Agaricus muscarius, Allum cepa, Aloe socotrina, Antimonium crudum, Antimonium tartaricum, Baptisia, Baryta carbonia, Berberis vulgaris, Borax, Bufo, Calcarea carbonica, Calcarea fluorica, Calcarea phosphorica, Caulophyllum, Chamomilla, Chelidonium majus, China (Cinchona), Cimicifuga racemosa, Coccus, Colchicum autumnale, Conium maculatum, Crataegus, Croton tiglium, Drosera, Dulcamara, Echinacea, Ferrum metallicum, Ferrum phosphoricum, Flor de piedra, Graphites, Hamamelis, Ignatia, Ipecacuanha, Kali bichromicum, Kreosotum, Lachesis, Ledum, Magnesium phosphoricum, Mercurius corrosivus, Petroleum, Phosphoric acid, Phytolacca, Podophyllum, Psorinum, Ruta graveolens, Sabina, Scutellaria, Sepia, Spongia tosta, Staphysagria, Veratrum album	
THE MEDICINE CHEST	458
THE FIRST AID BOX	457
FINDING A HOMEOPATHIC VET	460
SUPPLIERS OF HOMEOPATHIC REMEDIES	461
FURTHER READING	463
GENERAL INDEX	465
REMEDY INDEX	479

Accidents, Emergencies and First Aid

ANIMAL BITES

The canine or eye teeth of animals who bite when they attack or defend themselves are very sharp and pointed. They can cause deep puncture wounds which may appear to heal quickly, but because the teeth carry bacteria on their surface, infection may develop beneath the scab causing heat, swelling and pain.

- Lacerated, large wounds; deep, painful wounds. Immediate veterinary attention necessary.
- Small bites. Use remedies, but seek advice if infection seems to be present.
- Horses. If in doubt consult a vet.

By Mouth

If the fight has just occurred and there is shock associated with the bites.

This remedy follows Aconite well, or may be used from the outset if little or no shock is apparent.

If pain is evident. The signs of pain may be loss of appetite, restlessness, dullness, panting, or constantly licking or gnawing at the affected place.

These two remedies help to reduce infection and promote healing.

Aconite 30c. Dose every 15–30 minutes up to 4–6 times as required.

Arnica 30c. Dose every 1–2 hours up to four doses, then 3–4 times daily for a few days until improved. Arnica is indicated and helpful whenever there is tissue damage, inflammation or bruising.

Hypericum 30c. Dose 3–4 times daily for 2–4 days until improved.

Calendula 6c and Ledum 6c. Dose every fifteen minutes for an hour and then 3–4 times daily for 3–5 days.

ANIMAL BITES (continued)

Application to the Wound

To cleanse the wound, apply **Calendula lotion** 3–4 times daily as necessary. To promote healing when the wound appears to be clean, use **Hypericum/Calendula Cream**. Apply 2–3 times daily until healed.

BLEEDING (Haemorrhage)

The loss of some blood after any accident or injury is natural and helps to cleanse the wound, but it should not continue for too long. A trickle of blood for 5–10 minutes is acceptable but by the end of this time the blood should have begun to form a clot. Such bleeding will be from small blood vessels and is of little consequence. Bleeding from larger vessels is much more serious and professional help should be sought immediately. Such blood may be coming from an artery or a vein.

The blood in the arteries contains oxygen and is bright red in colour. It tends to be pumped out as the heart and pulse beat. The blood from veins is being returned to the heart from the tissues and has given up its oxygen. This blood is a dark red or wine colour and tends to flow rather than pump from the injury. If the bleeding appears severe it is probably coming from a major vessel. In such a case pressure should be applied to stop excessive blood loss while help is summoned. It may simply be a pressure pad or bandage; in the case of a limb, a cord fitted tightly round above the wound (a tourniquet) will help to stop the bleeding if an artery has been damaged.

- Blood oozing or trickling. Use remedies, but seek advice if bleeding persists.
- Pumping, bright, red blood. Flowing dark, red blood. Immediate veterinary attention necessary.

BLEEDING

For shock.

Aconite 30c. Start immediately and dose every 15–30 minutes for up to 4 doses.

Use if bleeding due to an injury, or if bleeding has occurred previously and is only slight. Useful for bleeding from the tips of the ears or from the end of the tail, or any other small wound. that cannot easily be bandaged.

Arnica 30c. Dose every 4 hours for 1–3 days as required.

For dark, unclotted, persistent, but not copious bleeding.

Hamamelis 6c or 30c. Dose 3 times daily for 3–5 days.

Use when the animal is weak after bleeding a lot.

China Officinalis 30c. Dose every 4 hours for 1–2 days.

For bright, red persistent bleeding.

Ipecacuanha 30c. Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

For superficial and slight haemorrhages, especially those that tend to recur but are not serious (e.g. slight nosebleeds).

Phosphorus 6c. Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

General Index

Advice to the reader. Some symptoms are so common that the index can be of only limited use, unless the page number refers to a chapter. Common symptoms include: biting or scratching itself, diarrhoea and vomiting, dullness, rubbing, shock, temperature. The search for a remedy may go faster if you can also find a less common symptom.

- abortion (*see also* reproduction), 137, 153, 168–71, 219–20, 244, 253, 270, 274, 282–3, 342
mycotic, 220
abscesses, 42–3, 53, 83, 90–1, 99, 111, 137, 144, 221, 228–9, 281, 305, 316, 334, 372, 381, 396, 400, 410, 417
teeth, 53, 148; udder, 232
with fever, 334
accidents (*see also* eye injuries), 12–13, 358–9, 406
acetonaemia, 222–3
Addison's disease, 304
afterbirth (*see* placenta)
aggravations, 5
aggression, 173, 314–5
allergies, 44–5, 140, 415
alopecia (*see* fur; hair loss)
anaemia, 46–7, 163, 282–3, 346
anal glands, 304–5
antibiotics (*see* medicine)
anticipation, 47, 63, 80–1, 407
anxiety, 28, 46–7, 128–9, 416
appetite, 48–9
with constipation, 285
arthritis, 50–1, 196–7, 228, 279, 288, 291, 319, 406, 425
in knees, 219
ascites, 306
atrophic rhinitis, 292
aural haematoma, 73
avitaminosis A, 400
azoturia (*see* cramp)
back
 arched or hunched, 102–3, 300, 329;
 backache, 422; bones stand out, 344;
 injury, 121; paralysis, 395
bacterial infections, 216, 247, 312, 330–1, 336, 338, 382, 384, 389, 393, 397, 399, 400–1
 Bacteroides nodosus, 258;
 Erysipelothrix insidiosa, 288;
 Escherichia coli (*E. coli*), 75, 191, 247, 256, 284, 286, 300, 312, 380, 388; *Fusiformis*, 250, 258, 395;
 Listeria monocytogenes, 370;
 Pasteurella multiceps, *pasteurellosis*, 386, 394; *Salmonella*, *salmonellosis*, 75, 134–5, 191, 220, 247–8, 254, 274, 330–1, 368, 374, 379, 387, 382; *S. dublin*, 330; *Sphaerophorus*, 395;
 Staphylococcus, 250; *Streptococcus*, 232, 312, 379, 382; *S. typhimurium*, 330
bad breath (*see* halitosis)
balance, loss of (*see also* falling; staggering), 284, 379, 397
barking, incessant, 328
beak deformity, 401
'bed making', in phantom pregnancy, 314
belching, 87, 97, 224, 270, 277

General Index

- birds, 357-68
oiled, (*see also* first aid), 366-7
birth (*see also* parturition),
premature, 168
bites, 9-10, 140, 143, 145, 334, 372
insect, 26-7, 140; midge, 210;
snakes, 146-7, 152
biting (*see also* self-mutilation)
itself, 9, 33, 36, 38, 70, 87, 106, 108,
114, 140-3, 156, 162, 210, 242,
335, 350, 351, 368, 387
others, 281
'black eye' (*see* eye injuries)
bleeding (*see also* blood in urine,
faeces; haemorrhage), 10-11,
14-15, 22, 119
bright, 10, 169, 205; dark, 10, 169,
205; flowing, 10; oozing, trickling,
10, 169; persistent, 205; pumping, 10;
uncollected, 205
from: ears, 22, 119; internal, 74; nose,
22, 117, 204-5; penis, prepuce, 329;
rectum, 65; teeth, 119; uterus, 169,
171
blindness, 77, 401
apparent, 222, 268, 284, 400-1
blisters (*see* skin conditions)
bloating, bloat, 224-5, 236, 255, 274,
276
frothy, 224-5; gaseous, 224
'blood blister' (*see* aural haematoma)
blood in urine, faeces or droppings,
68-9, 70, 76, 103, 256, 280, 300,
312, 352, 362-3, 365
blood
loss, 364; 'poisoning', 136-7, 147
'blue eared disease', 282-3
'blue eye', 318
boils (*see* abscesses; eruptions)
bones, 78-80, 197, 324-5
broken or fractured, 12-3, 279, 358;
bruised, 31-2; damage, 293
bowel oedema, 284
breath, bad (*see* halitosis)
breathing (*see also* bronchitis; pleurisy;
pneumonia; respiratory infections),
28, 82, 92, 192-3, 124-5, 155, 243,
292-5, 320
'asthmatic', 125; breathlessness, 92;
difficult, 184, 283, 292, 298, 326,
344, 398; distressed, 283; fast, 182,
192; gasping, 18, 24, 26, 35, 55, 89,
92, 125, 126, 177, 193, 224, 337,
245, 264; harsh, 391; heavy, 126;
increased, 276, 332, 337, 353;
laboured, 184, 266, 293, 360; noisy,
383; paralysis, 216; rapid, 125, 126,
190-1, 198, 264, 266, 310; rattling,
125, 391; short, 193, 264, 282, 288,
337, 383; wheezing, 125, 320, 360
broken wind, 185
bronchitis (*see also* pneumonia), 54-5,
67, 126, 184-5, 264, 294-5, 309,
320, 360-1
bronchopneumonia, 336, 394
brucella abortus (brucellosis), 219
bruises, 14-5
'bumble foot', 358-9
burns and scalds, 16-7, 145, 401, 412,
431
calculus (*see* stones)
calving (*see* parturition)
campylobacter, campylobacteriosis, 219,
248, 286, 306
cancer, 346
carpitis, 196
cataract (*see* eye conditions)
catarrh (*see also* sinusitis), 56-7, 180-1,
421, 424
cats (*see also* feline), 333-55
cattle, 218-51
cervical lymphadenitis, 382
chelonians, 400-4
chest infections, 125, 360-1
heaving, 360
'chewing', 374, 384
chilling, 312, 338
chills (*see also* colds), 58-9, 124,
360-1

General Index

- chinchillas, **369–71**
chlamydial infection, 253, 274, 338
chorea, 309
chronic degenerative
radiculomyopathy (CDRM),
306–7
chronic obstructive pulmonary disease
(COPD), **185**
circling, 122, 222, 379, 393, 397
'cleansing' (*see* placenta, retained)
'cloudburst' (*see* pregnancy, phantom)
coat (*see* fur; hair)
coccidiosis, coccidia, 247, **256–7**, 275,
278, **362–3**, 371, 382
cold body, 'chilled', 137, 153, 177, 245,
287, 312–3, 339, 353
colds (*see also* chills), 58–9, **184–5**,
360–1
colibacillosis, **181**, **256–7**, 275
colic, **60–1**, 63, 65, 76, 87, 97, 98,
120–1, 181–3, 224, 278, 280, 370,
401, 415
colitis, **62–3**, 75, 87, 190
collapse, **18–9**, 28, 134, 152, 163, 177,
201, 245, 247, 358–9, 225, 245,
256, 310, 313, 326, 339, **352**, 360,
365, 366, 413
coma, 312
comfort, wanting, 81
concussion, **19**, **362–3**
conjunctivitis, 21, 77–8, 240, 283, 309,
338–9, 340–1, 379, 382
constipation, 60–1, **64–5**, 87, 94, 101,
182–3, 200, 216, 236, 276, **285**,
329, 348
constitutional prescribing, 1, 6
contagious pustular dermatitis (orf),
262–3, **279**
contractions, 173
convulsions, **84–5**, 236, 249, 268, 309
coprophagia, 324
corns, 194
coryza, **360–1**
coughs, coughing (*see also* sputum), 44,
54–5, 58, **66–7**, 83, 88–9, 125–6,
126–7, 138–9, 152, 155, 264–5,
184–5, 283, 293, 320, 336–7, 373,
391
barking, 294; choking, 125, 127;
continuous, 184; deep, 127; dry, 55,
67, 89, 92–3, 125, 127, 192–3, 294,
320, 337, 423; hacking, 93; hard, 67;
harsh, 184, 193, 309, 337; 'heart
cough', 92–3; hoarse, 125; incessant,
320; irritating, 320; kennel, 320;
moist, 185, 265; nagging or niggling,
127, 243, 320, 337; painful, 126;
paroxysmal, 127; persistent, 67, 127,
320; racking, 55, 127; rattling, 67;
retching, 92; spasmodic, 67, 93, 320;
tickling, 67, 89, 93, 193, 337;
wheezing, 185
cramp, 60–1, **186–7**
crossed, hind legs, 307
crouching, 280, 354
croup, 185
crying, crying out, 35, 74, 293, 312,
316, 328, 338
Cushing's syndrome, **307**
cuts (*see* wounds)
cyanosis, 93
cysts, salivary, **330–1**
cystitis, **68–9**, 103, 121, 175, 300–1,
337, 412
corynebacterial, 300
dandruff (*see also* skin conditions),
68–9, 72, 141, 143–4
debility (*see also* weakness), 159, 222,
256–7, 283, 287, 313, 339, 363,
364–5, 382, 390, 399
defaecation, difficult, 419
deformation, snout, 292
dehydration, 134, 150, 152, 159, 160,
182, 247, 257, 287, 313, 326, 336,
342–3, 338–9, 345, 348, 352,
362–3, **364–5**, 367
diet (*see* food)
delirium, 278
Demodex, 379, 387

General Index

- dental work, 408
depression, 308, 314–5, 328, 342, 352, 383
dermatitis (*see also* skin conditions), 70–1, 87, 108, 140–1, 144–5, 188–9, 242
digital, 227
destructive behaviour, 328
diabetes, 150, 308
 mellitus, 308; insipidus, 308
diarrhoea (*see also* enteritis; vomiting), 70–1, 189–91, 247–8, 278, 286–7, 364–5, 409, 421, 430
 acute, 362; chronic, 340; mild, 380; neonatal, 282; persistent, 343; profuse, 368, 388; severe, 370; watery, 134, 306
diet, 75
 change of, 129
digestive disorders, 276–7, 422
digging, 314
discharges, secretions
 acrid, 57, 180; bland, 235; bloody, 138, 172, 230, 234; copious, 234; creamy, 172, 393, 394, 395; offensive, 138, 153, 172–3, 195, 229, 232, 234–5, 244, 292; oily, 351; purulent, 192, 338–9, 394; red, 173, 234; sticky, 57, 188–9, 210–1, 350, 351, 352; stringy, 57, 138–9, 181; thick, 57, 138–9, 230, 336, 338–9, 393, 394, 395, 400; watery, 57, 138–9, 336, 338; 'whites', 234–5
colour: bright red, 244; brown, 292; chocolate, 173–5, 235; clear, 172, 336; green, 57, 138, 261; grey, 173; grey-white, 235; milky-white, 292; pink, 173, 234, 291, 292; reddish-brown, 244; white, 57, 139, 172, 181, 382, 395; yellow or honey-coloured, 57, 138–9, 180, 234, 251, 336, 339, 350, 351, 352, 382
from: all orifices, 153; anal glands, 304; chin glands, 382; ears, 72–4, 397; eyes, 76, 338–9, 360–1, 393, 394; mouth, 55; navel, 238; nose, nostrils, 55, 56–8, 126, 138, 162, 338, 383, 394, 398; skin, 188–9, 395; udder, 230, 232; uterus, 275; vagina, 168, 172–3, 234, 291, 292
disorientation, 278
distemper, 158, 309, 373
distension, 63, 87, 163, 256, 324
distress, 312, 366
dogs, 303–32
donkeys, 178–217
dribbling (*see* salivation)
drooling (*see* salivation)
droppings (*see* faeces)
dropsy, 92, 306, 377
drowsiness, 22, 55, 83
dullness, 9, 83, 105, 107, 110, 126, 134, 136–7, 153, 155, 157, 159, 163, 171, 190, 200, 321, 326, 330, 340, 344, 362, 368, 370
dysplasia, hip, 319
dyspnoea (*see* breathing, difficult)
dysentery, 70, 76, 134, 362, 365
ear conditions, 72–4, 121, 122, 379, 393, 397
ears
 bleeding, 119; cold, 236; crusty, 393; eczema, 143; erect, 216; grass seeds in, 316–7; infected, 317, 373, 379; lesions behind, 350; painful to touch, 316–7; pricked, 249; swollen, 284
E. coli (*see* bacterial infection)
eclampsia, 176, 310–1
eczema, 70, 87, 102, 106, 140–5, 188, 212
 acute, 140; bends of joints, in; chronic, 140, 142, 143, 409, 419; dry, 350; miliary, 335, 350; 'sweet itch', 201–2; wet, 212, 352, 380, 388
egg
 binding, 402; laying, 362
emaciation, 324, 386, 395
endocarditis (*see* heart)
enteritis (*see also* diarrhoea), 75–6, 134,

General Index

- 189–91, 247–8, 256–7, 264,
278, 286–7, 302, 306, 331,
342–3, 362–3, 371, 373, 382, 393,
397
- enzootic abortion, 253
- epilepsy, 84–5
- eruptions (*see also* eczema; skin conditions)
boils, 210, 281; papules, 387;
pimples, 262, 335, 350; pustules, 189,
210, 262, 296, 335, 350; scabs, 262,
350; vesicles, 262, 350
- erysipelas, 288–9, 291
- excitement, excitability, 129, 154, 183,
222, 236–7, 249, 268, 284, 298,
310–1
- exhaustion, lassitude, prostration,
tiredness, 92–3, 94, 100, 107, 154,
177
- eye conditions (*see also* conjunctivitis)
abnormalities, 344; bleeding, 344;
blinking, 241; bulging, 237; cataracts,
77, 79, 308, 401; chronic, 407;
closed, 393; discharging, 20, 292;
foreign bodies, 20; glaucoma, 78–9,
423; lifeless look, 360; pale, 26, 46,
92, 190, 264, 282; protruding, 377;
pupils dilated 77–9, 240–5, 401; red
surround 240; running, 44; 58, 78,
88–9, 138, 192, 336–7, 340, 373;
sensitive to light, 78; shut, 241; sore,
336, 379, 415, 423; 'staring', 237;
streaming, 147, 337; tears, 78, 240–1;
tumours, 346; ulceration, 240, 336;
watering, 78
colour: black, 21; bloodshot, 338;
blue, 318, 326; cloudy, 344;
discoloured, 182; red, 21, 77–8,
338–9; white film on cornea, 240–1;
yellow, 97, 100, 190, 200
- eye injuries, 20–1
eyelids: closed, 360; protrude, 216;
swollen, 115, 213, 284, 339, 393,
400; third eyelid visible, 348
colour: blue, 288; yellow, 277
- face, puffy, 26
- fading
kittens, 338–9; puppies, fading puppy
syndrome, 312–3
- faeces (*see also* diarrhoea)
balls, 181; bloody, 64, 70, 76, 134,
161, 182–3, 190–1, 220, 247–8,
256–7, 278, 284, 286–7, 325, 327,
329, 330; explosive, 191; 'fatty', 324;
too firm, 285; foul-smelling, 76, 191,
220, 287; frequent, 306; hard, 64–5,
181, 182–3, 222, 236; knotty, 183;
liquid, 70, 75; loose, 100, 201, 220,
247–8, 257, 277, 278, 284, 286, 363,
354; lumpy, 65; noisy, 76, 191, 287;
offensive, 134, 201, 247; profuse, 76,
191, 287, 306; ribbon-like, 329;
runny, 286; slimy, glazed or mucus-covered, 64, 76, 182, 191, 201, 222,
257, 363; soft, 147; tarry, 285;
watery, 63, 76, 134, 190–1, 248,
256–7, 286–7, 306
colour: black, 65; brown (pale, light),
76, 97, 191, 277; clay-coloured, 107;
dark, 285; dry, 183, 222, 236;
greenish, 257, 277; grey, 256–7;
yellow, 97, 100, 257, 277
eating faeces, 324
- falling over, 122, 249
- farrowing, 282, 289–90
- feather pecking, 364–5
- feathers
ruffled, 360, 362; fluffed up, 360
- fear (*see also* anxiety), 80–1, 129,
383
- feet, cold, 236, 245
- feline
chlamydial infection (*see*
conjunctivitis), 338–9; coronavirus,
344–5; distemper, 342–3;,,
dysautonomia, 348;
immunodeficiency virus (FIV),
340–1; infectious enteritis (FIE),
342–3; infectious peritonitis (FIP),
344–5; influenza, 336–7; leukaemia,

General Index

- 346–7, lower urinary tract disease (FLUD), 354–5; parvovirus (FPV), 342–3; penleucopenia, 342–3; urological syndrome (FUS), 354–5
- ferrets, 371–4
- fever, 55, 64, 82–3, 105, 127, 134, 136, 150, 171–2, 191, 192–3, 199, 285, 321, 324, 337, 346, 370, 406, 410, 428
- fibrositis (*see* rheumatism)
- fighting, 281
- ‘fin rot’, 376
- fish, 375–7
- fistula, 305, 312
- fits, 84–5, 309
- flanks, tense or hard, 60
- flatulence, 53, 60, 62–3, 86–7, 97, 181, 201, 247, 277, 324–5, 413
- fleas, 6–7, 140–1, 163, 335, 347, 350, 373, 390
- flu, 88–9, 282
- cat, 336–7; cow, 248; equine, 192–3
- ferrets, 373; hamsters, 386; swine, 293
- fluke infestation, 376
- ‘fly strike’, 390
- foaling (*see* parturition)
- food
- intolerance, wrong food, too much, over-lush pasture, 62, 63, 190, 222, 224, 248, 261, 276–7, 280, 286, 302, 323; refusing, 328; unable to eat, 342
- foot and mouth (*see* virus)
- ‘foot-rot’, 252, 258–9, 279, 373
- ‘foul-in-the-foot’, 227, 228–9, 279
- fractures (*see also* first aid), 12–3, 358–9, 428
- fright (*see also* anxiety), 406
- fungus, 246, 376
- Microsporum*, 298; *Trychophyton mentagrophytes*, *T. verrucosum*, 298
- fur (*see also* hair)
- balls, 347; chewing, 370; coarse, 332, 353; dry, 324, 379; ‘moth-eaten’, 370; rough, 379; ‘slip’ (*see also* alopecia), 370; sparse, 332, 353
- furunculosis, 141, 144
- ‘gagging’ (*see also* retching), 152, 184
- gasping (*see* breathing)
- gastritis (*see also* vomiting), 90–1, 290
- gastroenteritis, 264, 290
- gerbils, 378–80
- German Shepherd syndrome (*see* CDRM)
- gingivitis (*see* gums)
- glands
- lymph: enlarged, 202, 340, 346, 382; mammary: hot, inflamed, painful, swollen, 110–111; knotty, 111, pseudopregnancy, in, 314; thyroid, swelling, 353
- gnawing, (*see* bites itself)
- goats, 273–80
- goitre, 353
- gonitis, 197
- grass seeds, 316–7
- grass tetany (*see* staggering, ‘staggerers’)
- ‘greasy heel’ (*see* dermatitis)
- grief, grieving, 328, 351, 421
- groaning, grunting, 120, 182, 224, 236
- groin, lesions, 350
- grooming, excessive, 335, 347, 350
- growth, poor (*see also* failure to thrive), 282, 292, 302
- guinea-pigs, 381–4
- gumboils (*see* abscesses)
- gums, 52, 90–1, 148
- bleeding, 149; blue, bluish, 18, 126, 177, 245, 288; inflamed, 52, 148–9, 340–1; pallor, 26, 35, 46, 92, 282; receding, 149; spongy, 149; swollen, 151; yellow, 97, 190, 277
- gut oedema (*see* bowel oedema)
- haematomas (*see also* bruises), 14–5, 74, 221
- haemorrhage, 46–7, 169
- hair (*see also* fur)

General Index

- loss, 16, 87, 102, 132–3, 140–1, 144, 298, 335, 332, 335, 352, 353, 379, 384, 387, 395, 396, 399; matted, 210, 212, 347, 352; new, 242
- hairballs, 347
- halitosis, 52–3, 91, 102, 113, 148, 153, 222
- sweet, 222, 321
- hamsters, 385–8
- hard pad, 309
- head
- hanging, 393; held high, 268–9;
 - injuries, 22–3; pressing, 222; shaking, 72, 236; to one side, 316, 397; turns from side to side, 387; wing, under, 360
- healing, slow, 352
- haematomas, 221
- heart
- conditions, 92–3; endocarditis, 288; failure, 326, 377; increased rate, 332, 353; palpitations, 26; slow rate, 236, 332, 353
- heat
- coming into (oestrus), 167;
 - termination, 374
- heatstroke, 24–5, 278, 298–9
- hedgehogs, 389–91
- hemiplegia (*see* paralysis)
- hepatitis (*see also* liver conditions; Rubarth's disease), 94, 158, 200, 318
- hibernation, 390
- hives (*see* nettle rash)
- hocks, sore, 395
- hooves, 194–5
- corns, 194; heat, 198; necrosis, 258; puncture wounds, 194–5; rings, 198; sandcrack, 195; seedy toe, 195; thrush, 194–5
- horses, ponies, 178–217
- huddled together, 362
- hunched up, 365, 380, 398
- hunger, 324
- husk (*see* bronchitis)
- hygroma, 197
- hyperadrenocorticism, 307
- hyperplasia, 353
- hyperthermia, 298–9
- hyperthyroidism, hypothyroidism, 332, 353
- hypoadrenocorticism, 304
- hypocalcaemia, 236–7, 261, 310
- hypoglycaemia, 222
- hypomagnesaemia (*see* 'staggers')
- hypothermia (*see* chilling)
- hysteria, 84–5
- immobile, 82, 387
- immunodeficiency, 340–1
- incontinence of urine, faeces, 18, 28, 69, 84, 95–6, 102–3, 122–3, 136–7, 174–5, 249, 307, 348, 351, 414, 424
- cats, cattle, dogs, horses, 95
- incoordination, 222, 371
- hind legs, 284, 307
- indifference, 173, 315
- indigestion, 97, 276–7
- inertia, uterine, 290
- infection (*see also* wounds), 36–7, 75, 279, 292, 296, 301, 410, 417, 427
- bacterial, 247; *Bordetella*, 292; *Pasteurella*, 292
- infectious
- canine tracheobronchitis, 320;
 - keratitis 240–1
- infertility (*see* reproduction)
- inflammation, 98–9, 239
- udder, 231; uterus, 234
- influenza (*see* flu)
- injury (*see also* wounds), 20–1, 22–3, 79, 96, 98, 102, 203, 205, 214–5, 251, 279, 408
- insects (*see* bites, stings)
- irritable, 144, 149
- irritable bowel syndrome (IBS) (*see* colitis)
- itch, 376
- itching, 26–7

General Index

- jaundice (*see also* liver conditions), 94, 100-1, 107, 156, 190, 200, 242, 318, 321, 344
jaws, clamped or locked, 216, 261, 268
jerking, 123
joints (*see also* arthritis, tendons), 30-2, 50-1, 196-7, 238-9, 323, 426
deformed, 51; enlarged, 121; hot, 51, 239; joint-ill, 238-9, painful, 206, 337, 384; stiff, 130; swollen, 51, 196, 239, 384; thickened, 323
- kennel cough, 320
ketosis (*see* acetonaemia)
Key Gaskell syndrome, 348
kicking itself, 60, 120, 182-3, 224
kidding, 278
kidneys, 52, 68, 75, 102-3, 105, 150, 152, 300-1, 304, 308, 321, 340, 349, 402, 406, 419, 420
kittening (*see* parturition)
knuckling, of feet, 307
- labour, 168
lactation tetany, 310-1
lambing, 258-9
 lambing sickness, 261
lameness (*see also* arthritis, bruising, rheumatism, sprains), 104, 130-1, 179, 188, 194-5, 196-7, 206, 214, 227, 228-9, 258, 279, 280-1, 290-1, 316, 319, 323, 366, 390
laminitis, 198-9
‘lamppost disease’ (*see also* dogs), 105, 321
Leptospira, leptospirosis, 100, 105, 158, 219, 230, 291, 321-2
lethargy, 288, 332, 353
libido, diminished, 177
lice (*see also* dry eczema), 106, 140-1, 296-7, 384
licking (*see also* wounds), 9, 27, 33, 36, 38, 52, 70, 108, 132, 140-1, 188, 222, 335, 350, 351
lifeless-looking, 387
- limbs, grass seeds in, 317
lips
 blue, 126; swollen, 151, 212
listeriosis, 254, 274, 370
listless, 144, 153, 293
liver (*see also* hepatitis, jaundice), 52, 75, 94, 106-7, 165, 190, 200-1, 269, 277, 306, 321, 419
 enlarged, 307
‘low’, ‘luer’ (*see* ‘foul-in-the-foot’)
‘lumps’, 382
lungworm, 294-5
luxation, 319
lying down, 182-3, 186, 231, 236, 245, 261, 276, 278, 284
lymphocytic choriomeningitis (LCM), 397
lymphocytosis (*see* virus)
lymphosarcoma, 346
- maggots, 390, 402
malaise, 324
mammary glands (*see* udders), 166, 402
mammitis (*see* mastitis)
mange, 108-9
mastitis, 110-1, 166, 170, 220, 226, 231-3, 250, 260, 262, 291, 292, 383, 393, 397
medicine, overuse of, 75, 190, 212, 382
metritis, endometritis, 172-3, 219, 234-5, 244, 291, 292, 374
mice, 396-9
milk, 174-6, 260
 bloody, 226, 260; clotted or flaky, 231, 260; discoloured, 231; loss of, 282; promotion, suppression, 260; pseudopregnancy, in, 275, 314; watery, 231, 260; yield, drop in, 219, 222, 227, 230, 244
‘milk fever’, 236-7, 244, 249-50
mineral disturbances, 162
miscarriage (*see* abortion)
mites, 373, 379, 380, 384, 391, 393, 395, 396

General Index

- Sarcoptes scabiei*, 296
'Monday morning leg', 202-3
mouth (*see also* gums, teeth), 112-3, 420
bleeding, 127; bluish, 326; dry, 112, 113, 331, 348; foaming, frothing, 84, 249, 261; inflammation, 340; 'mouth rot', 403; sore, 379; ulcers, 336; watery, 256-7; yellow, 100, 200
move, reluctance to, 198, 268, 283, 288, 293, 326, 384
mucous membranes (*see also* gums; eyes; skin)
bluish, 326; pale, 318; red spots, 318
mucus overproduction, 98-9
mud fever (*see* dermatitis)
muscles
damage to, 186; hard, 123, 186; painful, 186, 206; pulled, 121; spasm, 310; stiffness in (*see also* stiffness), 14, 130; swelling, 14; trembling or tremors (*see also* twitching), 216, 236, 249, 261, 266, 268, 284, 312; wasting (*see also* main entry), 307; weakness, 51, 200, 304, 307, 332, 353
muzzle, dry, 236
mycoplasma, 220, 254, 274
myositis (*see* cramp)
myxomatosis, 393
nails, 114-5
nausea, 154
navel
hot, 239; navel-ill, 238-9, 261; swollen, 238-9
neck
arched backwards, 269; extended, 264; twisted, 379
necrobacillosis, 395
neonatal mortality, 312-3
neoplasms, neoplasia (*see* tumours)
Neospora caninum, 220
nephritis (*see* kidney disease)
nettle rash (*see also* allergies, skin
conditions), 44, 114-5, 212-3, 406, 431
nervous disorders, 385, 397
nervousness, 222, 269, 284, 314-5, 318
newborns, 177
New Forest eye disease, 240-1
noises, bowel, 277
nose, nostrils (*see also* catarrh; discharge; sinusitis), 116-7
bleeding, 116-7, 127, 139, 204-5, 292-3; blocked up, 138-9; cracked or chapped, 116-7; crusts, 57; dilated, 216; runny, 44, 56-8, 88, 336; scaly, 139; sensitive to touch, 180; sore, 180, 379, 386; streaming, 147; swollen, 284, 386; ulcerated, 336; watery, 192; yellow, 200
nosodes, 6-7, 158
'nursing' in phantom pregnancy, 314
nutritional disorders, problems, 390, 402-3
oedema, 200, 202, 298-9
on skin, 212
operation 118-9
orf (*see* contagious pustular dermatitis)
osteoarthritis, 196
osteochondrosis, 323
osteomyelitis, 324-5
otitis, infected, parasitic, simple, waxy
(*see* ear conditions)
overexertion 426
paddling, 284
pain (*see also* colic; arthritis; rheumatism), 119, 120-1, 128-9, 149, 157, 182, 196, 202, 274, 276
abdominal, 190, 220, 247, 318, 321, 324, 329, 330, 342, 415
pancreatic insufficiency, pancreatitis, 324-5
panting, 9, 24, 26, 28, 35, 54-5, 60, 76, 82, 88, 92, 120, 126-7, 128, 278, 310, 365
papillomatosis (*see* warts)

General Index

- paralysis (see also stroke), 122-3, 307, 309, 370, 416
hind legs, 397; posterior, 395
paraplegia (see paralysis)
parasites (see also fleas; worms), 73-4, 140-1, 189, 248, 264-5, 302, 368, 371, 373-4, 276, 386, 302, 364, 368, 370, 386, 390-1, 394, 397, 398
Metastomylus apri, 194
parturition (see also birth), 168, 170-3, 278, 310, 408
parvovirus, 326-7
pasteurellosis, *pasteurella haemolytica* infection, 266-7, 386, 393-4
pediculosis, 296-7
pecking, feathers, 364-5
perspiration (see sweat)
phimosis (see prolapse, penile)
photosensitisation, 242
pica, 302
pigs, 281-302
pinning, 328
pityriasis rosea, 296-7
placenta
cotyledons: grey, 253; gritty, 253; leathery, 220; necrotic, 220, 253; white, 253; yellow, 220, 253
membrane: left hanging, 244, 270; retained, 166, 171, 173, 219, 234-5, 244, 270-1, 279, 292
pleurisy, 54, 124-5, 127, 184
pneumonia, 54, 67, 89, 126-7, 184-5, 243, 252, 264-5, 266-7, 283, 292-5, 309, 320, 337, 360-1, 371, 386, 391, 403
pododermatitis, 384
poisons, poisoning, 75, 94, 102, 190, 366, 391
'popeye', 377
post-parturition (see birth)
pot-bellied, 247
potentisation, potency, 4
poultry, 357-68
pregnancy, 167-9, 219, 379
false, phantom or pseudo, 176, 275, 314-5; toxæmia, 268-9, 279, 383
premature birth, 168
pre-parturition, 168-9
prolapse
penile, 403; uterine, 174-5; vaginal, 169, 272
prostate problems, 329
prostration, 288, 293, 330
pruritus, 141
pseudopregnancy (see pregnancy, phantom)
pseudotuberculosis, 382
pulse, 83, 137, 153, 182-3, 187, 190-1, 192, 199, 236
pupils dilated, 67, 76, 182-3, 187, 191, 199, 348
pus (see also wounds), 32, 35, 36, 39, 42-3, 53, 91, 194-5, 229, 239
pyelonephritis, 300
pyometra, 150, 172-3, 375-6
pyrexia (see also temperature), 309, 424
rabbits, 392-5
rabies, 158
'rain scald', 212-3
rats, 396-9
'rattle belly' (see colibacillosis)
recumbent (see lying)
'red eye' (see eye injuries)
regurgitation, 236, 348
reproduction, 166-77, 278, 282, 374, 424
resentment, 351
respiratory problems (see also breathing), 292-5, 379, 383, 386, 398
restlessness, 9, 24, 28, 60, 74, 82, 83, 89, 120, 128-9, 137, 149, 154, 182, 186, 191, 210, 270, 291, 310-1, 313, 314, 317, 332, 337, 339, 353
retching, 160-1, 320, 347
retention of urine, 174-5
reviving a weak animal, 245, 279
rheumatism, rheumatic pain (see also

General Index

- arthritis), 22, **130-1**, 206-7, **206-7**, 279, 291, 411, 425
rhinitis, 403
ringwomb, 169, **270-1**
ringworm, **132-3**, **246**, 298-9, 371, 379, 384, 387, 391, 395, 398-9
rising, difficulty in, 307
rolling with pain, 60, 120, 182-3
Rubarth's disease, 318
rubbing, 27, 36, 38, 70, 87, 106, 114, 132, 140-3, 148, 151, 156, 162, 188, 210, 242, 246, 296, 351, 393, 397
bottom on ground, 304; ear, 316; nose, 292, 386
rumblings internal, 53, 62, 86-7
ruminal tympany, **224-5**

salivation, 91, 112-3, 148-9, 151, 152-3, 154, 161, 191, 222, 256
copious, 331; drooling, 268; frothy, 264-5
salmonella, salmonellosis (*see bacterial infection*)
sarcoids, **208-9**
scabies, 387
scours, scouring (*see also diarrhoea; enteritis*), **247-8**, **278**, **286-7**
scratching, 27, 38, 70, 87, 106, 108, 114, 132, 140-3, 151, 156, 162, 246, 296, 335, 350, 368, 387, 393, 397
ears, 72, 316
scurf (*see dandruff*)
scurvy, 384, 400
seborrhoea (*see dermatitis*)
self-mutilation, 387
senility, 96, **136-7**
sensitive, 249, 310
septicaemia, sepsis, **136-7**, 147, 152, 172-3, 234, 256, 330-1, 377, 382, 424
servicing, 68, 300
'set fast' (*see cramp*)
sheep, 163, **252-72**

shell
burnt, 401; fluid under, 401; 'soft', 402
shivering, trembling, 82, 83, 102, 245
shock (*see also anxiety; fear*), 13, 16-7, 18, 19, 23, 27, **28-9**, 35, 80-1, 119, 169, 174-5, 177, 205, 245, **358-9**, 361, 366-7, 371, 383, 387, 394, 406
'sicca' (*see pleurisy*)
sinusitis (*see also catarrh*), 58, **138-9**, 180-1, 403, 419
skin conditions (*see also dermatitis; eczema; pruritus*), 132-3, **140-5**, 158, **210-3**, 196-7, **296-9**, **368**, 379, 384, 387, 395, 409, 420, 425, 430
dry, 69, 141-2; greasy, 143, 211, 421; hard, 141, 146; hot, 27, 142, 299; infected, 99, 188; inflamed, 141-2, 145; irritation, 296, 352; itching, 27, 132, 142; oozing, 147, 242; peeling, 212; 288; rough, 69, 142, 189; sinuses, 233; smell (*see also discharges*), 211; sore, 99, 145, 298; splitting, 16; sticky, 140-2; swelling, 27, 39, 51, 142-3, 146-7, 213, 221, 242, 352, 377, 395; thickened, 141-2, 188, 246; weals, 212; weeping, 141, 242; wet, 140
discolouration: black, 141; blue, 288; grey, 143; pale, 282; pink, 298; purple, 288; red, 27, 36, 39, 44, 51, 69, 71, 109, 132, 140-5, 242, 288, 296, 299, 352, 399; yellow, 97, 100, 277
eruptions (*see also main entry*): blisters, 16, 45, 113, 143-5, 262, 298, 350, 387, 412; burning, 299; circular patches, 132-3, 144, 246, 298; cracked, 142; crusted, 246, 396; diamond-shaped patches, 288; lesions, wet, 350; lumps, 208, 377; plaques, 212, 242; raised, 140; scabs, 296, 298, 350; scaly, 69, 109, 140-3

General Index

- 379, 387, 399; symmetrical, 307;
ulcers, 298
'sleeper disease', 387
sleeplessness, 128-9
'slime disease', 376
slipped disc (*see* paralysis)
slow fever (*see* acetonæmia)
sluggishness, 46, 314
smell
 sweet, 321; unpleasant, 33, 34, 74,
 105, 133, 142-3, 350, 352
 from: anal glands, 304, 352; claws,
 228-9, 258-9; vagina, 191, 270
sneezing, 44, 58, 83, 88, 116-7, 138-9,
 146-7, 292-3, 336-7, 338, 340-1,
 373, 383, 386
snuffling, 292-3, 340, 386
soreness, 121
spavin, 196
spaying, 68
sporadic lymphangitis (*see* 'Monday
 morning leg')
sprains and strains, 30-2, 131, 279, 425
spraying, 351
sputum
 bloody, 184, 267; dark, 276; thick,
 184
squatting, 157
staggering, 'stammers' (*see also* balance),
 30, 84, 122, 231, 236, 249-50, 261,
 284, 311
stamping, 188
standing, difficulty in, 370
Staphylococcus (*see* bacterial infections)
stiffness (*see also* joints; muscles),
 88-9, 102, 121, 131, 154, 186,
 206-7, 216, 310, 337
 legs, 236
stings, 26-7, 140, 143, 145, 406
stomach, swelling, 92
stomatitis (*see* 'mouth rot')
stones
 bladder or urinary, 280, 354-5
stools (*see* faeces)
stroke, 148-9
- stomatitis, 340, 403
straining, 103, 157, 224, 257, 258, 278,
 280, 300, 327, 329, 354, 363, 402
stretching, 312
'stud tail', 352
stumbling (*see* staggering)
suck, failure to, 312, 338
sunburn, 16-7, 141, 143, 145, 298-9
suppuration, 417
swallowing, 112, 152
 difficulty in, 348; painful, 153
sweating, 55, 60, 67, 76, 120, 127,
 182-3, 186, 190-1, 198, 216, 287
 cold sweat, 245
swelling, 26, 30-1, 33, 36, 38, 42, 121,
 274, 324
 hard, 231, 233; hot, 215, 231;
 persistent, 233; red, 231
 of: abdomen, 275, 306-7, 314, 324,
 326, 377; cheek, 330; claws, 228,
 258, 344, 380; eyelids, 339, 400; feet,
 384; flanks, 224; foot pads, 358;
 head, 393; jaw, 320; legs, 202; limbs,
 200, 402; lips, 115; navel, 238; neck,
 393; stomach, 92; udder, 226, 231-3;
 vulva, 374
swine erysipelas (*see* erysipelas)
- tail (*see also* 'stud tail'; 'wet tail')
 held straight, 216; 'scalded', 380,
 388; soiled, 256
teats, teat injuries, 233, 250-1
 'black spot', 250; cracked, 233, 250;
 hard, horny, 250; injured, 233;
 ulcerated, 251; warts, 251
teeth (*see also* halitosis, gums), 148-9
 abscess, 149; bleeding, 119; brown,
 148; decay, 149; grinding, 236, 247,
 268; loose, 91; overgrown, 378, 383,
 386, 394, 398; rotten, 90-1; tartar
 (scale), 52, 90, 148; toothache, 121,
 149
temperature, 33, 36, 38, 58, 74, 82, 83,
 88, 102, 110, 126, 134, 136-7, 153,
 155, 159, 171, 192, 216, 219, 220,

General Index

- 230, 231-2, 236, 242, 243, 244, 247-8, 256, 261, 266-7, 270, 276, 278, 285, 288, 291, 292-3, 298, 300, 309, 318, 324, 328, 330, 336-7, 338, 340, 344
low, 332
tendons and ligaments, 179, 214-5, 426
terrapsins, 400-4
tetanus, 216-7
thirst, 150
for small drinks, 191, 287
thrive, failure to, 256-7, 294, 402
throat
inflamed, 152; red, 152-3; sensitive, 153; sore, 153
thyroid problems, thyrotoxicosis, 332, 335, 353
ticks, 141, 150-1, 390
tongue, 152
bluish, 126, 298; protruding, 245, 264; sore, 151; swollen, 113, 151; ulcerated, 151, 336, 403
tonsillitis, 58, 152-3, 309
tortoises, 400-4
touch, oversensitive to, 216, 236, 249, 261, 316-7
toxaemia, toxicity, 152-3, 172, 225, 231, 268-9, 276-7, 279, 331, 348, 352, 366, 383, 424
toxoplasmosis, 253, 274, 312
travel sickness, 154
trembling, 222, 304, 321, 387
Trychophyton verrucosum (see fungus)
tuberculosis, 155, 374, 377, 382
tumours (see also warts), 156, 157, 162, 308, 346, 353, 374, 380, 388, 399
mammary, 399
twitching, 102, 105, 249, 284, 309, 310-1, 321
'tying up' (see cramp)
Tyzzer's disease, 388, 399
udders (see also teats)
abscess in, 232; enlarged, 275; hard, 231, 260, 291; hot, 231, 291; red, 291; painful, 291; slack, 230; swollen, 260
ulcers (see also abscesses), 22, 78, 112-3, 203, 233, 336, 350, 396
corneal, 78-9; foot pads, 384; legs, 395; palate, nose, 336; teats, 251; tongue, 336, 403
unconsciousness, 18, 19, 22
unmoving, unresponsive, 22, 28
unsteady (see staggering)
uraemia, 21
urinary calculus, 354-5
urinary disorders (see also cystitis, incontinence, kidney disease), 157, 174-5, 280, 300-1
urine (see also blood in urine)
bright, 201; brown, 186; cloudy, 69; crystals, 157, 280; dark, 69; gravel, 354-5; highly coloured, 103; mucus, 301; pus, 300; reddish, 301; sediment, 354-5; thick, 69
urination, 174-5
difficult, 183, 329; dribbling, 121, 354; drips, 354; excess, 103, 301; frequent, 68; increased, 307, 308; involuntary (see incontinence); painful, 68-9, 103, 121, 300; poor flow, 68-9; retention, 216, 348, 354; slow, 69; straining, 121; strong smell, 68, 200-1
urticaria (see nettle rash)
vaccination, 158-9, 430
viruses, viral, 58, 159, 262, 282, 286, 309, 312, 318, 336, 338, 340, 386, 391, 393
feline, 336, 340, 342-7; *Distemper*, 312; foot and mouth, 391; lymphocytosis, 376; *Paravaccinia*, 279; *Parvovirus*, 312
vitamins
A, avitaminosis, 400; C, deficiency, 384
voice (see also cries out)
high-pitched, 284; lost, 284

General Index

- vomiting, retching (*see also diarrhoea*), 22, 67, 68, 84, 90–1, 97, 98, 101, 102, 105, 107, 119, 154, 156, 158–9, 160–1, 163, 165, 277, 284, 290, 308, 318, 321, 329, 342–3, 344, 347, 409, 423
bloody, 326–7; enteritis, with, 287
vomits: food, undigested, 161; mucus, 320; sputum, 67; water, 161
vomiting and diarrhoea, 49, 53, 60–1, 75–6, 94, 107, 120, 137, 152, 161, 283, 290, 304, 324, 326–7, 330, 344, 346
warfarin, 46
warts, 162, 208–9, 251, 414
angleberries, 251; bleeding, 162, 251; brown or black, 'cauliflower', fissured, hard, horny, small, tall, thin, yellow, 162; flat, 162, 208; mushroom-shaped, 208; on teats, 251
wasting, 222, 346, 377, 388, 399
'watery mouth' (*see* colibacillosis)
weakness, 51, 76, 83, 92–3, 201, 205, 245, 256, 283, 287, 312–3, 326, 339, 343, 346, 364–5, 367, 371, 390
weight
 increase, 332, 353
 loss, 75, 94, 102, 105, 155, 189, 262, 264, 302, 304, 308, 312, 321, 324, 332, 344, 340, 353, 362, 380, 382, 383, 386, 388, 394, 398, 399, 400, 402
 slow gain, 264
Weil's disease, 100, 321
'wet tail', 388
wheezing (*see* breathing)
whelping (*see* parturition)
whining (*see also* crying out), 314, 328
'white spot', 376
wind (*see* flatulence)
wings, drooping, 362
worms, 75, 163–4, 189, 248, 264–5, 302, 304, 312, 371, 391
 Dictyocaulus filaria, 264; lungworm, 294–5; roundworms, 52, 163, 302, 394, 398, 404; tapeworms, 163, 302, 380, 386, 394, 398
wounds, 32–9, 98, 404, 358, 368, 404
 abrasions, scrapes, grazes, 32–3; bites, 373; cuts and lacerations, 34–5; gunshot, 366–7; infected, 36–7, 281, 395; puncture, 38–9, 194–5, 217, 367, 396; skin, 381, 396, 316, 381, 396; sores, 368
yawning, 94, 107, 152, 154, 165, 200
zoonosis, 7

Remedy Index


- Aconite, 405
Agaricus Muscarius, 432
Allium Cepa, 433
Aloe Socotrina, 433
Antimonium Crudum, 434
Antimonium Tartaricum, 434
Apis Mellifica, 406
Argentum Nitricum, 407
Arnica, 408
Arsenicum Album, 409
Baptisia, 435
Baryta Carbonica, 435
Belladonna, 410
Berberis Vulgaris, 436
Borax, 436
Bryonia, 411
Bufo, 437
Calcarea Carbonica, 437
Calcarea Fluorica, 437
Calcarea Phosphorica, 438
Calendula, 438
Cantharis, 412
Carbo Vegetabilis, 413
Caulophyllum, 439
Causticum, 413
Chamomilla, 439
Chelidonium Majus, 440
China, 440
Cimicifuga Racemosa, 441
Coccus, 441
Colchicum Autumnale, 441
Colocynthis, 414
Conium Maculatum, 442
Crataegus, 443
Croton Tiglium, 443
Drosera, 443
Dulcamara, 444
Echinacea, 444
Euphrasia, 415
Ferrum Metallicum, 445
Ferrum Phosphoricum, 445
Flor de Piedra, 445
Gelsemium, 416
Graphites, 446
Hamamelis, 446
Hepar Sulphuris, 417
Hypericum, 417
Ignatia, 447
Ipecacuanha, 447
Kali Bichromicum, 448
Kreosotum, 448
Lachesis, 448
Ledum, 449
Lycopodium, 418
Magnesium Phosphoricum, 450
Mercurius Corrosivus, 450
Mercurius Solubilis, 419
Natrum Muriaticum, 420
Nux Vomica, 421
Petroleum, 451
Phosphoric Acid, 451
Phosphorus, 422
Phytolacca, 452
Podophyllum, 452
Psorinum, 452
Pulsatilla, 423
Pyrogen, 424
Rhus Toxicodendron, 425
Ruta Graveolens, 426
Sabina, 453
Scutellaria, 453
Sepia, 454
Silica, 427
Spongia Tosta, 454
Staphysagria, 455
Sulphur, 428
Symphytum, 429
Thuja, 430
Urtica Urens, 431
Veratrum Album, 455

Francis Hunter

Everyday Homeopathy for Animals

486 pages, kart.
semble 2021

[Achetez maintenant](#)



Plus de livres sur l'homéopathie, les médecines alternatives et le bien-être www.narayana-verlag.de